

Please cite this article as DOI: <https://doi.org/10.35614/ISSN-2341-6408-IK-2022-05-RL>

Copernicus, 2021b: WekeO – Copernicus and Sentinel data at your fingertips - Data and Information Access Services (DIAS), <https://wekeo.eu>.

Copernicus, 2021c: Land Monitoring service: Land cover characteristics; <https://land.copernicus.eu>.

Finnish Forest Industries, 2021: Future growth and sustainable welfare. Accessed 14 December 2021, <https://www.metsateollisuus.fi/en/facts-about-finnish-forest-industry>.

Forest Act. 1093/1996. Ministry of Agriculture and Forestry, Finland, 16 pp, https://www.finlex.fi/en/laki/kaannokset/1996/en19961093_20140567.pdf

Hyvärinen O., A. Venäläinen, and A. Vajda, 2020: Bias-adjusted seasonal forecasts of soil moisture for forestry applications in Finland. *Adv. Sci. Res.*, **17**, 23-27, <https://doi.org/10.5114/asi-17-23-2020>.

Metsäkeskus, 2021: Korjuukelpoisuus. Accessed 14 December 2021, <https://www.metsakeskus.fi/fi/avoin-metsa-ja-luontotieto/metsa-tyonaineistot/korjuukelpoisuus>.

Lehtonen, I., 2021: Record mild winter of 2019/2020 in most of Finland. *FMI's Clim. Bull. Res. Lett.*, **3**(1), 4–7, <https://doi.org/10.35614/ISSN-2341-6408-IK-2021-05-RL>.

Muñoz Sabater, J., 2019: ERA5-Land hourly data from 1981 to present. Copernicus Climate Change Service (C3S) Climate Data Store (CDS). Accessed 14 Dec 2021, <http://doi.org/10.24381/cds.e2161bac>.

Sirén, M., A. Salmivaara, J. Ala-Ilomäki, S. Luukkainen, H. Lindeman, J. Uusitalo, R. Sutinen, and P. Hänninen, 2019: Predicting forwarder cut formation on fine-grained mineral soils. *Scandinavian J. Forest Res.*, **34**, 145-154, <https://doi.org/10.1080/002827581.2018.1562567>.

Vajda, A., A. Venäläinen, J. Suomi, P. Junnila, and H. Mäkelä, 2014: Assessment of forest fire danger in a boreal forest environment: description and evaluation of the operational system applied in Finland. *Met. Apps*, **21**: 879-887. <https://doi.org/10.1002/met.1425>.